



དཔལ་ལྷན་འབྲུག་གཞུང་།
 རྫོང་ཁག་བདག་སྐྱོང་། ཚེས་ཅེ་རྫོང་། གྲོང་གསལ།

Royal Government of Bhutan

DZONGKHAG ADMINISTRATION

Choetse-Dzong, Trongsa

"A socio-economically vibrant Dzongkhag, living in harmony with nature"



Evaluation Report

Work: supply, installation and configuration of the Video conference equipment with Smart TV.

The tender for the above mentioned work is floated in the egp system and following are the list of bidders with their quoted rate generated from the system'

SL	Bidder	Quoted Rate in NU	Remarks
1	B.D Commercial	2,61,550.000	
2	New Edge Technologies	2,58,000.000	
3	SAI TRADING PARTNER	3,92,500.000	
4	Gyelyong Enterprises	2,65,310.000	
5	DRUK RTL COMMERCIAL	4,83,138.000	
6	B. G Sales and Supplies	2,21,500.000	
7	NEW DEVICE TECHNOLOGY	2,23,350.000	
8	AMODA ENTREPRISES	2,22,538.000	
9	Sun Rise Computer Technology	2,20,400.000	Lowest evaluated
10	FIT & FITTINGS TRADER	4,97,500.000	
11	Samling Events	8,75,000.000	
12	Lamla Enterprise	2,72,650.000	


 Samuel Pradhan (ICTO)


 Tshering Dendup (Accountant)


 Sonam Rinchen (Engineer)



དཔལ་ལྷན་འབྲུག་གཞུང་།
རྫོང་ཁག་བདག་སྐྱོང་། ཚོང་ཆེ་རྫོང་། གྲོང་གསལ་།



Royal Government of Bhutan

DZONGKHAG ADMINISTRATION

Chhoetse-Dzong: Trongsa

"A socio-economically vibrant Dzongkhag, living in harmony with nature"

Minutes of the meeting for 5th DTC meeting

Date: 4.11.2021

Time: 10am

Venue: Dzongkhag conference Hall

followup action taken on 4th DTC meeting					
Sl:No	Agenda	Discussion	Resolution	Action Taken	remarks
1	Presentation and approval of deviation/ additional work for Lawshong slope treatment	DTC endorsed the deviation and additional work. additional budget requirement to be put up to disaster management through Dzongkhag DFC.	DTC endorsed the deviation and additional work. Additional budget requirement to be put up to disaster management through Dzongkhag DFC.	The request for additional budget was submitted to DDM and MoF. The MoF directed Dzongkhag to meet the budget from annual grant	
2	Settlement of the final claims by the Druk Wangyel construction for the construction of the parking in the town. (cancel)	DE Sonam Dorji: presented the case to the DTC. After the valuation of the work on the advance claimed	DTC directed DRO to request from the contractor that sand and boulders/stone needs to be taken		

PABX:- 03-521577

www.trongs.gov.bt

FAX:- 03- 521231

[Handwritten signatures in blue ink]



དབལ་ལྷན་འབྲུག་གཞུང་།
 རྫོང་ཁག་བདག་སྐྱོང་། ཚེས་ཅེ་རྫོང་། གྲོང་གསལ།



Royal Government of Bhutan

DZONGKHAG ADMINISTRATION

Chhoetse-Dzong: Trongsa

"A socio-economically vibrant Dzongkhag, living in harmony with nature"

			depending upon the progress of the work.		
10	Award of the video conferencing equipment	There were 12 bidders in eGP for the video conferencing equipment. lowest evaluated bidder is Sunrise computer technology with the quoted price of Nu: 2,20,400/-	DTC decided to award the supply and installation of Zoom meeting equipment to the Sunrise computer technology at their quoted amount of Nu: 2,20,400/- . since evaluation criteria was in lot, it was awarded in lot to the lowest evaluated bidder.	action taken.	
11	Opening of the vehicle maintenance and supply of spare parts quotation for the FY-2021-2022.	vehicle maintenance and supply of spare parts quotation was floated in eGP and there were 3 bidders. however since there was only one bidder for the vehicle maintenance. supply of tyres was approved for the previous tender. DTC	DTC opened the Vehicle maintenance and supply of spare parts tender for the FY-2021-2022.		

[Handwritten signatures and marks]



དཔལ་ལྷན་འབྲུག་གཞུང་།
 རྫོང་ཁག་བདག་སྐྱོང་། ཚེས་ཅེ་རྫོང་། གྲོང་གསལ།



Royal Government of Bhutan


DZONGKHAG ADMINISTRATION


Chhoetse-Dzong: Trongsa

"A socio-economically vibrant Dzongkhag, living in harmony with nature"


		method of Procurement.	tendering method of Procurement.		
--	--	------------------------	----------------------------------	--	--

Endorsed by;


 Sonam Dorji
 DE



 Tshering Dendup
 OFO

Lham Dorji
 DCDEO


 Tharchen
 Chief DE


 Phuntshe Rinzin
 Planning Officer


 Karma Dendup
 c.o.


 Karma Dendup
 Dasho Dzongrab


 Phub Rinzin
 Dasho Dzongda

Electronic Government Procurement (e-GP) System
Procurement Management and Development Division, Department of National Properties
Ministry of Finance, Royal Government of Bhutan

Individual Report

Tender Detail	
<p>Tender ID : 9345</p> <p>Closing Date and Time : 21-Sep-2021 10:30</p> <p>Procuring Agency : Dzongkhag Administration Trongsa</p>	<p>Invitation Reference No. : DAT/pro-118</p> <p>Opening Date and Time : 21-Sep-2021 11:30</p> <p>Procurement Category : Goods</p>
<p>Brief : supply, installation and configuration of the Video conference equipment with Smart TV. The supplier should configure both the Video conference camera and smart TV for video conferencing. The overall setup should not require complicate processes to operate, it should provide feature of plug and play USB connectivity. The winning bidder must supply, install and configure the VC equipment in Dzongkhag HQ and Gewog center as per the work order at thier own cost.</p>	

i Bid Submission Closing Date is one (1) hour prior to Bid Opening Date. For Tender Id: 9345 the Closing Date is 21-Sep-2021 10:30 and Bid Opening Date is 21-Sep-2021 11:30

Package No	Package Description
VC-8	supply, installation and configuration of the Video conference equipment with Smart TV. The supplier should configure both the Video conference camera and smart TV for video conferencing. The overall setup should not require complicate processes to operate, it should provide feature of plug and play USB connectivity.

AMODA ENTREPRISES

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	Video conferencing system-Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall																	

1.0	<p>3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: - 27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	104654.000	0.000	0.000	104654.000	0.000	0.000	104654.000
-----	---	-----	-------	-----------------------------	------	---	-----	-------	-----	-------	-----	------------	-------	-------	------------	-------	-------	------------

	Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	22325.000	0.000	0.000	22325.000	0.000	0.000	22325.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	11287.000	0.000	0.000	11287.000	0.000	0.000	11287.000
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Thailand	0.000	BTN	1.000	0.0	82272.000	0.000	0.000	82272.000	0.000	0.000	82272.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	India	0.000	BTN	1.000	0.0	2000.000	0.000	0.000	2000.000	0.000	0.000	2000.000

1.0	customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Singapore	0.000	BTN	1.000	0.0	130000.000	0.000	0.000	130000.000	0.000	0.000	130000.000
	Expansion Mic for conference system- Connection Type: Plug-and-play																	

2.0	Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Included in line item 1	0.000	BTN	1.000	0.0	0.000	0.000	0.000	0.000	0.000	0.000	0.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Included in line item 1	0.000	BTN	1.000	0.0	0.000	0.000	0.000	0.000	0.000	0.000	0.000
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Thailand	0.000	BTN	1.000	0.0	85000.000	0.000	0.000	85000.000	0.000	0.000	85000.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	india	0.000	BTN	1.000	0.0	6500.000	0.000	0.000	6500.000	0.000	0.000	6500.000
																	Grand Total:	221500.000

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Renewed License 2022.pdf	524.68
2	valid tax clearance certificate	Tax Clearance BGSS valid upto 2022.pdf	67.10
3	VC equipment catalog	group-datasheet.pdf	643.56
4	smart TV catalog	TU7000_Spec_Sheet_Datasheet.pdf	4489.38

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. TILAK NEPAL on behalf of B. G Sales and Supplies

B.D Commercial

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, Insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit																	

1.0	or mac OS 10.14 or higher) Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate	set	1.000	as per the work order	30.0	Goods to be importated (Group B)	Logitech MeetUp All-In-One 4K ConferenceCam	89490.000	BTN	1.000	0.0	0.000	0.000	89490.000	0.000	0.000	0.000	89490.000
-----	--	-----	-------	-----------------------	------	----------------------------------	---	-----------	-----	-------	-----	-------	-------	-----------	-------	-------	-------	-----------

	Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/- 3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods to be importated (Group B)	Logitech Expansion Mic for MeetUp ConferenceCam	23490.000	BTN	1.000	0.0	0.000	0.000	23490.000	0.000	0.000	0.000	23490.000
3.0	Expansion Mic extension cable 10meters- Dimensions- Cable length: 10 m Cable Thickness: 4.2 mm Connector	set	1.000	as per the work	30.0	Goods to be importated	Logitech 10m Extend Cable	14390.000	BTN	1.000	0.0	0.000	0.000	14390.000	0.000	0.000	0.000	14390.000

	Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system			order		importated (Group B)	For Meetup Mic													
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods to be importated (Group B)	Clarion 65 inch tv	129490.000	BTN	1.000	0.0	0.000	0.000	129490.000	0.000	0.000	0.000	0.000	129490.000	
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods to be importated (Group B)	AADATA	4690.000	BTN	1.000	0.0	0.000	0.000	4690.000	0.000	0.000	0.000	0.000	4690.000	
																			Grand Total:	261550.000

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
---------	----------------------	-----------	------------------

1	Valid Trade License	Logitech meet up.pdf	311.60
2	valid tax clearance certificate	Samsung 75 smart tv.docx	28.46
3	VC equipment catalog	Renewed License 2021.pdf	524.69
4	smart TV catalog	None.docx	34.74

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mrs. LILAWATI CHHETRI on behalf of B.D Commercial

DRUK RTLT COMMERCIAL

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, Insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	<p>Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements</p>																	

1.0	<p>Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise</p> <p>Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction</p> <p>AEC (Acoustic echo cancellation)</p> <p>VAD (Voice activity detector)</p> <p>Microphone background noise suppression</p> <p>Microphone data rate: 32 kHz sampling rate</p> <p>Recommended # of participants: 6</p> <p>Recommended # of participants with expansion mic: 8</p> <p>Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1%</p> <p>Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Imported from Thailand	0.000	BTN	1.000	0.0	318050.000	0.000	0.000	318050.000	0.000	0.000	318050.000
2.0	<p>Expansion Mic for conference system- Connection Type: Plug-and-play</p> <p>Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc.</p> <p>Microphone Type: Mono, wideband, noise canceling</p> <p>Buttons / Switch: Microphone mute</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Imported from Thailand	0.000	BTN	1.000	0.0	48910.000	0.000	0.000	48910.000	0.000	0.000	48910.000

3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Imported from Thailand	0.000	BTN	1.000	0.0	29600.000	0.000	0.000	29600.000	0.000	0.000	29600.000
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Imported from Thailand	0.000	BTN	1.000	0.0	82990.000	0.000	0.000	82990.000	0.000	0.000	82990.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	Imported from Thailand	0.000	BTN	1.000	0.0	3588.000	0.000	0.000	3588.000	0.000	0.000	3588.000
																Grand Total:	483138.000	

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade license 2021.pdf	959.09
2	valid tax clearance certificate	Tax Clearance 2021.JPG	3539.23
3	VC equipment catalog	VC Set.JPG	89.46
4	smart TV catalog	TV Set 65.JPG	125.96

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. RAMESH RAI on behalf of DRUK RTLT COMMERCIAL.

FIT & FITTINGS TRADER

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
1.0	<p>Video conferencing system-Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India	0.000	BTN	1.000	0.0	220000.000	0.000	0.000	220000.000	0.000	0.000	220000.000

	distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.				(Group C)													
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	india	0.000	BTN	1.000	0.0	33000.000	0.000	0.000	33000.000	0.000	0.000	33000.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference	set	1.000	as per the work order	30.0	Goods already importated (Group C)	india	0.000	BTN	1.000	0.0	23000.000	0.000	0.000	23000.000	0.000	0.000	23000.000

	system																	
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide • 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	india	0.000	BTN	1.000	0.0	210000.000	0.000	0.000	210000.000	0.000	0.000	210000.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	india	0.000	BTN	1.000	0.0	11500.000	0.000	0.000	11500.000	0.000	0.000	11500.000
																		Grand Total: 497500.000

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade license.pdf	1352.07
2	valid tax clearance certificate	renderTaxClearanceReportFromPortal.pdf	67.09
3	VC equipment catalog	meetupdatasheet.pdf	311.60
4	smart TV catalog	Samsung Smart TV catalog.pdf	1192.72

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. KARMA TOPGAY on behalf of FIT & FITTINGS TRADER

Gyelyong Enterprises																		
1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)																		
"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"																		
1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)																		
												Unit price including	Custom	CIF/CIP	Price per line item net of	Inland	VAT Payable	

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	transportation, Insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
1.0	<p>Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India/China	0.000	BTN	1.000	0.0	129500.000	0.000	0.000	129500.000	0.000	0.000	129500.000

	AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already imported (Group C)	India/China	0.000	BTN	1.000	0.0	33480.000	0.000	0.000	33480.000	0.000	0.000	33480.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already imported (Group C)	India/China	0.000	BTN	1.000	0.0	19350.000	0.000	0.000	19350.000	0.000	0.000	19350.000
	65 Inch LED Ultra HD (4K)																	

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIF or CIF Price per Unit (Group B) (9)	Currency for CIF or CIF (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	import VAT & other import taxes [In Nu.] (Group C) (14)	per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
1.0	<p>Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Third Country Logitech cam metup	0.000	BTN	1.000	0.0	113400.000	0.000	0.000	113400.000	0.000	0.000	113400.000

	Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Third Country Logitech mic	0.000	BTN	1.000	0.0	34430.000	0.000	0.000	34430.000	0.000	0.000	34430.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Third Country	0.000	BTN	1.000	0.0	14740.000	0.000	0.000	14740.000	0.000	0.000	14740.000
	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR																	

4.0	<ul style="list-style-type: none"> • Crystal Display • Universal Guide • 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Third Country	0.000	BTN	1.000	0.0	108340.000	0.000	0.000	108340.000	0.000	0.000	108340.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	Third Country	0.000	BTN	1.000	0.0	1740.000	0.000	0.000	1740.000	0.000	0.000	1740.000
Grand Total:																	272650.000	

SI. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade licence 15th April 2022.jpeg	1661.59
2	valid tax clearance certificate	tax clerance new.pdf	67.10
3	smart TV catalog	Catalogue TV (1)6666666 (3).pdf	4060.60
4	VC equipment catalog	Logitech cam meetup.pdf	319.42

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. DORJI WANGDI on behalf of Lamla Enterprise

NEW DEVICE TECHNOLOGY

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (16)	Inland transportation, Insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
-------------------	-------------------------	-------------------------	--------------	-----------------------	--------------------------------------	------------------	-----------------------	---	--	-------------------------------	--	---	--	--	---	---	---	---

													(13)	(Group C) (16)		(10)		
1.0	<p>Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Singapore	0.000	BTN	1.000	0.0	98450.000	0.000	0.000	98450.000	0.000	0.000	98450.000

	SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Singapore	0.000	BTN	1.000	0.0	19850.000	0.000	0.000	19850.000	0.000	0.000	19850.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Singapore	0.000	BTN	1.000	0.0	9750.000	0.000	0.000	9750.000	0.000	0.000	9750.000
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE:	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Thailand - Bangkok	0.000	BTN	1.000	0.0	92800.000	0.000	0.000	92800.000	0.000	0.000	92800.000

	Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.																	
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	Thailand - Bangkok	0.000	BTN	1.000	0.0	2500.000	0.000	0.000	2500.000	0.000	0.000	2500.000
																		Grand Total: 223350.000

SI. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	New Device Technology Trade License copy.pdf	4155.21
2	valid tax clearance certificate	Tax Clearance Certificate 2021.pdf	728.04
3	VC equipment catalog	Vido conferencing system- zoomrooms.pdf	3366.45
4	smart TV catalog	Samsung 4K 65 inch - UA65TU7000KXXT.pdf	585.04

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by M. TSHERING DORJI on behalf of NEW DEVICE TECHNOLOGY

New Edge Technologies			
1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)			
"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"			

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIF (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price Including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall																	

1.0	<p>3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: - 27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India ++	0.000	BTN	1.000	0.0	95000.000	0.000	0.000	95000.000	0.000	0.000	95000.000
-----	---	-----	-------	-----------------------------	------	---	----------	-------	-----	-------	-----	-----------	-------	-------	-----------	-------	-------	-----------

	Procuring Agency will not provide separate Installation charges.																	
2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India ++	0.000	BTN	1.000	0.0	24000.000	0.000	0.000	24000.000	0.000	0.000	24000.000
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India ++	0.000	BTN	1.000	0.0	11000.000	0.000	0.000	11000.000	0.000	0.000	11000.000
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	India ++	0.000	BTN	1.000	0.0	125000.000	0.000	0.000	125000.000	0.000	0.000	125000.000
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	India ++	0.000	BTN	1.000	0.0	3000.000	0.000	0.000	3000.000	0.000	0.000	3000.000

1.0	<p>mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps)</p> <p>Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise</p> <p>Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction</p> <p>AEC (Acoustic echo cancellation)</p> <p>VAD (Voice activity detector)</p> <p>Microphone background noise suppression</p> <p>Microphone data rate: 32 kHz sampling rate</p> <p>Recommended # of participants: 6</p> <p>Recommended # of participants with expansion mic: 8</p> <p>Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter</p> <p>Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1%</p> <p>Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	130000.000	0.000	0.000	130000.000	0.000	0.000	130000.000
-----	--	-----	-------	-----------------------	------	------------------------------------	-----	-------	-----	-------	-----	------------	-------	-------	------------	-------	-------	------------

2.0	Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling Buttons / Switch: Microphone mute	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	30000.000	0.000	0.000	30000.000	0.000	0.000	30000.000	
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	USA	0.000	BTN	1.000	0.0	5500.000	0.000	0.000	5500.000	0.000	0.000	5500.000	
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Germany	0.000	BTN	1.000	0.0	220000.000	0.000	0.000	220000.000	0.000	0.000	220000.000	
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	Thailand	0.000	BTN	1.000	0.0	7000.000	0.000	0.000	7000.000	0.000	0.000	7000.000	
																		Grand Total:	392500.000

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade license 22-jul-05.jpg	5292.90
2	valid tax clearance certificate	TAX CLEARANCE CLERANCE 31032022.pdf	67.10
3	VC equipment catalog	Logotech-datasheet.pdf	539.54
4	smart TV catalog	YL-YL6-HI-3751.pdf	699.14

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. SAMTEN on behalf of SAI TRADING PARTNER

Samling Events

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	<p>Video conferencing system- Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps)</p>																	

1.0	<p>Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5 meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Bhutan	0.000	BTN	1.000	0.0	430000.000	0.000	0.000	430000.000	0.000	0.000	430000.000
2.0	<p>Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Bhutan	0.000	BTN	1.000	0.0	245000.000	0.000	0.000	245000.000	0.000	0.000	245000.000

	Buttons / Switch: Microphone mute																		
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Bhutan	0.000	BTN	1.000	0.0	80000.000	0.000	0.000	80000.000	0.000	0.000	80000.000	
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Bhutan	0.000	BTN	1.000	0.0	115000.000	0.000	0.000	115000.000	0.000	0.000	115000.000	
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	Bhutan	0.000	BTN	1.000	0.0	5000.000	0.000	0.000	5000.000	0.000	0.000	5000.000	
																		Grand Total:	875000.000

SI. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade License.jpg	167.54
2	valid tax clearance certificate	tax clearance.pdf	67.08
3	VC equipment catalog	specification.docx	32.77
4	smart TV catalog	TV SPEC.docx	82.20

5	-	past experience.pdf	418.52
6	-	Concerned past work.jpg	2843.27

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. Phub Namgay on behalf of Samling Events

Sun Rise Computer Technology

1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a)

"Filled-in Data in form e-LG-4a must be the same in form e-LG-4b and vice versa"

1a. Price and Delivery Schedule for Goods: Goods Manufactured outside Bhutan (Form e-LG-4a)

Line Item No. (1)	Description of Item (2)	Unit of Measurement (3)	Quantity (4)	Point of Delivery (5)	Period of Delivery (No. of Days) (6)	Tender Group (7)	Country of Origin (8)	CIP or CIF Price per Unit (Group B) (9)	Currency for CIF or CIP (Group B) (10)	Conversion Rate [In Nu.] (11)	CIP or CIF Place of Destination (Group B) (12)	Unit price including Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (13)	Custom Duties, import VAT & other import taxes [In Nu.] (Group C) (14)	CIF/CIP price per Line Item (Col. 4 * 9) [In Nu.] (Group B) (15)	Price per line item net of Custom Duties, import VAT & other import taxes [In Nu.] (4*(13-14)) (Group C) (16)	Inland transportation, insurance and other local costs for the delivery of the Goods to their final destination [In Nu.] (17)	VAT Payable on account of Supplier if the Contract is awarded [In Nu.] (18)	Amount per line item (15+16+17) (Group B and C) [In Nu.] (19)
	<p>Video conferencing system-Camera - Zoom lens 5x HD and motorized pan (+/- 25°) and tilt (+/- 15°) Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7° Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall 3 camera position presets Right Sight auto-framing (requires Windows 10 64-bit or mac OS 10.14 or higher)</p> <p>Video performance- 4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable) 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps) 720p HD video calling (up to 1280 x 720 pixels @ 30 fps) Microphone - Integrated microphone with 3 beamforming elements Pickup Range: Meet up: 4 meters (13.1 feet) With optional Expansion Mic: 5</p>																	

1.0	<p>meters (16.4 feet) Sensitivity: -27dB Microphone frequency response: 90Hz - 16kHz for full voice reproduction and high intelligibility without noise Beamforming performance: Factory-paired, very low distortion broadside beamforming algorithm steers the microphones directly at the talker for the best voice pickup and noise reduction AEC (Acoustic echo cancellation) VAD (Voice activity detector) Microphone background noise suppression Microphone data rate: 32 kHz sampling rate Recommended # of participants: 6 Recommended # of participants with expansion mic: 8 Speaker - Volume adjustable to 95 dB SPL at 1/2 meter peak Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter Distortion: 200 Hz - 300Hz < 3%, 3000 Hz -10KHz < 1% Patent-pending anti-vibration enclosure improves voice clarity while limiting sound transmission to adjacent spaces. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Switzerland	0.000	BTN	1.000	0.0	109800.000	0.000	0.000	109800.000	0.000	0.000	109800.000
2.0	<p>Expansion Mic for conference system- Connection Type: Plug-and-play Indicator Lights (LED): LED indicator confirms video streaming, microphone mute, on-hold, and Bluetooth pairing, etc. Microphone Type: Mono, wideband, noise canceling</p>	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Switzerland	0.000	BTN	1.000	0.0	25750.000	0.000	0.000	25750.000	0.000	0.000	25750.000

	Buttons / Switch: Microphone mute																		
3.0	Expansion Mic extension cable 10meters- Dimensions Cable length: 10 m Cable Thickness: 4.2 mm Connector Dimensions • Height: 42.4 mm • Width: 10 mm • Depth: 11.4 mm Compatibility Expansion Mic for Conference system	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Switzerland	0.000	BTN	1.000	0.0	10200.000	0.000	0.000	10200.000	0.000	0.000	10200.000	
4.0	65 Inch LED Ultra HD (4K) TV Screen - Crystal Processor 4K, works with apple airplay along with wall mount bracket 180 degree tilt mount system. (TV mount dimension- Height: 400mm, Width: 83mm, Depth:16mm, Weight: 280gm) • HDR • Crystal Display • Universal Guide 2 HDMI Connections • eARC Port 2 • 1 USB Connection • LAN Port • 802.11AC built-in Wi-Fi • Bluetooth • Optical Audio Output Port Apple Airplay features. NOTE: Installation charges for VC should be included in quotation rate as Procuring Agency will not provide separate Installation charges.	set	1.000	as per the work order	30.0	Goods already importated (Group C)	Japan	0.000	BTN	1.000	0.0	72400.000	0.000	0.000	72400.000	0.000	0.000	72400.000	
5.0	HDMI Cable- 15m for the projection of Laptop to TV.	no	1.000	as per the work order	30.0	Goods already importated (Group C)	India	0.000	BTN	1.000	0.0	2250.000	0.000	0.000	2250.000	0.000	0.000	2250.000	
																		Grand Total:	220400.000

Sl. No.	Mapped Document Name	File Name	File Size(In Kb)
1	Valid Trade License	Trade License for Trongsa VC.pdf	3656.18
2	valid tax clearance certificate	Tax Clearance Certificate for Trongsa VC.pdf	67.14
3	VC equipment catalog	Logitech Meetup Datasheet for DAT VC.pdf	311.60

This 1a. Price and Delivery Schedule : Goods Manufactured outside Bhutan (Form e-LG-4a) is Electronically Signed by Mr. SANTA BISWA on behalf of Sun Rise Computer Technology